

筒井健一郎（東北大学大学院生命科学研究科脳情報処理分野）

(a) 国際誌に発表した論文

※21) Fujiwara J, Tobler PN, Taira M, Iijima T, Tsutsui KI (2009). A parametric relief signal in human ventrolateral prefrontal cortex. *Neuroimage*, 44(3), 1163-70.

20) Koganezawa N, Taguchi A, Tominaga T, Ohara S, Tsutsui KI, Witter MP, Iijima T (2008). Significance of the deep layers of entorhinal cortex for transfer of both perirhinal and amygdala inputs to the hippocampus. *Neuroscience Research*, 61(2), 172-81.

※ 19) Fujiwara J, Tobler PN, Taira M, Iijima T, Tsutsui KI (2008). Personality-dependent dissociation of absolute and relative loss in orbitofrontal cortex. *Eur J Neurosci*, 27(6), 1547-52.

18) Narumi T, Nakamura S, Takashima I, Kakei S, Tsutsui KI, Iijima T (2007). Impairment of the discrimination of the direction of single-whisker stimulation induced by the lemniscal pathway lesion. *Neuroscience Research*, 57 (4), 579-586.

17) Kojima T, Onoe H, Hikosaka K, Tsutsui KI, Tsukada H, Watanabe M (2007). Domain-related differentiation of working memory in the Japanese macaque (*Macaca fuscata*) frontal cortex: a positron emission tomography study. *European Journal of Neuroscience*, 25 (8), 2523-2535.

16) Ishikawa T, Sato T, Shimizu A, Tsutsui KI, de Curtis M, Iijima T (2007). Odor-driven activity in the olfactory cortex of an in vitro isolated guinea pig whole brain with olfactory epithelium. *Journal of Neurophysiology*, 97 (1), 670-679.

15) Isoda M, Tsutsui KI, Katsuyama N, Naganuma T, Saito N, Furusawa Y, Mushiake H, Taira M, Tanji J (2005). Design of a head fixation device for experiments in behaving monkeys. *Neuroscience Methods*, 141 (2), 277-282.

14) Tsutsui KI, Taira M, Sakata H (2005). Neural mechanisms of three-dimensional vision. *Neuroscience Research*, 51 (3), 221-229.

13) Sakata H, Tsutsui KI, Taira M (2005). Toward an understanding of the neural processing for 3D shape perception. *Neuropsychologia*, 43 (2), 151-161.

- ※12) Tsutsui KI, Jiang M, Sakata H, Taira M (2003). Short-term memory and perceptual decision for three-dimensional visual features in the caudal intraparietal sulcus (Area CIP). *Journal of Neuroscience*, 23 (13), 5486-5495.
- ※11) Tsutsui KI, Sakata H, Naganuma T, Taira M (2002). Neural correlates for perception of 3D surface orientation from texture gradient. *Science*, 298 (5592), 409-412.
- ※10) Tsutsui KI, Jiang M, Yara K, Sakata H, Taira M (2001). Integration of perspective and disparity cues in surface-orientation-selective neurons of area CIP. *Journal of Neurophysiology*, 86 (6), 2856-2867.
- 9) Taira M, Nose I, Inoue K, Tsutsui KI (2001). Cortical areas related to attention to 3D surface structures based on shading: an fMRI study. *Neuroimage* 14 (5), 959-966.
- 8) Lauwereyns J, Sakagami M, Tsutsui KI, Kobayashi S, Koizumi M, Hikosaka O (2001). Responses to task-irrelevant visual features by primate prefrontal neurons. *Journal of Neurophysiology*, 86 (4), 2001-2010 .
- 7) Sakagami M, Tsutsui KI, Lauwereyns J, Koizumi M, Kobayashi S, Hikosaka O (2001). A code for behavioral inhibition on the basis of color, but not motion, in ventrolateral prefrontal cortex of macaque monkey. *Journal of Neuroscience*, 21 (13), 4801-4808.
- 6) Lauwereyns J, Koizumi M, Sakagami M, Hikosaka O, Kobayashi S, Tsutsui KI (2000). Interference from irrelevant features on visual discrimination by macaques (*Macaca fuscata*): a behavioral analogue of the human Stroop effect. *J Exp Psychol Anim Behav Process*, 26 (3), 352-357.
- 5) Taira M, Tsutsui KI, Jiang M, Yara K, Sakata H (2000). Parietal neurons represent surface orientation from the gradient of binocular disparity. *Journal of Neurophysiology*, 83 (5), 3140-3146
- 4) Sakata H, Taira M, Kusunoki M, Murata A, Tsutsui KI, Tanaka Y, Shein WN, Miyashita Y (1999). Neural representation of three-dimensional features of manipulation objects with stereopsis. *Experimental Brain Research*, 128 (1-2), 160-169.
- 3) Sakagami M, Tsutsui KI (1999). The hierarchical organization of decision making in the primate prefrontal cortex. *Neuroscience Research*, 34 (2), 79-89.

2) Sakata H, Taira M, Kusunoki M, Murata A, Tanaka Y, Tsutsui KI (1998). Neural coding of 3D features of objects for hand action in the parietal cortex of the monkey. *Philos Trans R Soc Lond B Biol Sci*, 353 (1373), 1363-1373.

1) Niki H, Tsutsui KI (1997). Prefrontal cortex and behavior: encoding of self-movement in dorsal prefrontal neurons. *Epilepsia* 38 (S6), 35-39.

(b) 外国語による著書

1) Niki H & Tsutsui KI (1998). Prefrontal neuronal activity and discrimination of self-movement. In Sakata H, Mikami A, Fuster JM (Ed.), *The association Cortex: Structure and Function* (pp.33-42). Amsterdam, Netherlands: Harwood.

(c) 国際学会・海外学会での発表 (2000年以降)

28) Tsutsui KI (2008) Conditions and measurement of happiness. (Japanese-American Frontiers of Science Symposium 2008, Irvine)

27) Taguchi A, Koganezawa N, Tominaga T, Ohara S, Tsutsui KI, Iijima T (2008) Significance of the deep layers of entorhinal cortex for transfer of both perirhinal and amygdala inputs to the hippocampus. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2008, Washington)

26) Oyama K, Matsumura Y, Hernadi I, Iijima T, Tsutsui KI (2008) The effects of dopamine and glutamate receptor antagonists on the activity of striatal neurons in rats during a probabilistic Pavlovian conditioning task. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2008, Washington)

25) Yamada M, Sato Y, Romero-Pita M, Iijima T, Tsutsui KI. (2008) Differential contribution of DLPFC and OFC in inference. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2008, Washington)

24) Fujiwara J, Tobler PN, Taira M, Iijima T, Tsutsui KI. (2008) Personality-dependent activation of financial loss processing in orbitofrontal cortex. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2008, Washington)

23) Hirose, H., Choi, K., Shiga, T., Tsutsui, KI, Sakurai, Y., Koike Y., Iijima, T. (2007) A brain-machine interface for predicting both arm-reaching movements and posture maintenances. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual

Meeting 2007, San Diego)

22) Ohara, S., Inoue, K.I., Yamada, M., Yamawaki, Tsutsui, K.I., Iijima, T. (2007) Dual transneuronal tracing in the rat hippocampal formation by intracerebral injection of recombinant rabies virus vectors. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

21) Oyama, K., Gemba, E., Hernadi, I., Iijima, T., Tsutsui, K.I. (2007) Representation of reward probability in the rat striatum. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

20) Nakamura, S., Narumi, T., Yoshizato, S.I., Ishii, H., Tsutsui, K.I., Iijima, T. (2007). A role of the lemniscal pathway in the single-whisker directional discrimination in rats. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

19) Yamada, M., Sato, Y., Iijima, T., Tsutsui, K.I. (2007) Involvement of the dorsolateral prefrontal cortex in inductive reasoning. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

18) Shimizu, A., Ishikawa, T., Kobayashi, T., Tsutsui, K.I., Iijima, T. (2007) Odor representation in the anterior piriform cortex of an in vitro isolated whole brain with the olfactory epithelium. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

17) Sato, Y., Yamada, M., Iijima, T., Tsutsui, K.I. (2007) Performance of monkeys in a repeated group-reversal task requiring inductive reasoning. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

16) Fujiwara, J., Tobler, P.N., Taira, M., Iijima, T., Tsutsui, K.I. (2007) Discrete and common coding of gains and losses in the cingulate cortex. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

15) Koganezawa, N., Taguchi, A., Hikita, A., Tsutsui, K.I., Iijima T. (2007) Directional discrimination of whisker stimulation by rats in appetitive and aversive context. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2007, San Diego)

14) Ishikawa, T., Shimizu, A., Sato, T., Tsutsui, K.I., De Curtis, M., Iijim, T. (2006) Odor-driven activity in the anterior piriform cortex of an isolated whole brain with the

olfactory epithelium. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2006, Atlanta)

13) Fujiwara, J., Tobler, P.N., Taira, M., Iijima, T., Tsutsui, KI. (2006) Brain activation related to the evaluation of absolute and relative value of outcome. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2006, Atlanta)

12) Nakamura, S., Narumi, T., Tsutsui, KI, Iijima, T. (2006). A role of the lemniscal pathway in the single-whisker directional discrimination task in rats. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2006, Atlanta)

11) Hernadi, I., Tsutsui, KI, Schultz, W. (2005). The role of primate amygdala in self-controlled choice behavior. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2005, Washington)

10) Tsutsui, KI, Kobayashi, S., Hernadi, I., Schultz, W. (2005). Activity of neurons in the dorsolateral prefrontal cortex during a free-choice task with probabilistic outcome. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2005, Washington)

9) Katsuyama, N., Yamashita, A., Sawada, K., Tsutsui, KI, Taira, M. (2005). Architectonic structures and 3D-selective neurons in the caudal intraparietal area of Japanese macaque (*Macaca fuscata*). *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2005, Washington)

8) Hernadi, I., Tsutsui, KI, Schultz, W. (2004). Differential contribution of primate prefrontal subregions in higher order reward schedules. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2004, San Diego)

7) Hernadi, I., Kovacs, P., Uzsoki, B., Tsutsui, KI. (2003). Temporal dynamics of instrumental responses for liquid reward after combined amygdala or orbitofrontal cortex lesions in the rat. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2003, New Orleans)

6) Tsutsui, KI, Naganuma, T., Sakata, H., Taira, M. (2002). Short-term memory and perceptual decision concerning three-dimensional surface orientation in parietal area CIP. *Society for Neuroscience Abstract*. (Society for Neuroscience Annual Meeting 2002, Orlando)

- 5) Naganuma, T., Tsutsui, KI., Sakata, H., Taira, M. (2002). Surface-orientation-selective neurons in parietal area CIP and perception of 3D surface orientation. *Society for Neuroscience Abstract.* (Society for Neuroscience Annual Meeting 2002, Orlando)
- 4) Kobayashi, S., Lauwereyns, J., Koizumi, M., Tsutsui, KI., Sakagami, M., Hikosaka, O.(2001). Generation of behaviorally relevant coding in macaque prefrontal cortex. *Society for Neuroscience Abstract.* (Society for Neuroscience Annual Meeting 2001, San Diego)
- 3) Shikata, E., Hamzei, F., Weiller, C., Büchel, C., Tsutsui, KI., Sakata, H.(2001). Location and function of the anterior part of intraparietal sulcus (area AIP) in humans. *Society for Neuroscience Abstract.* (Society for Neuroscience Annual Meeting 2001, San Diego)
- 2) Tsutsui, KI., Taira, M., Jiang, M., Sakata, H. (2000). Impairment of 3D surface perception by muscimol injection into area CIP. *Society for Neuroscience Abstract.* (Society for Neuroscience Annual Meeting 2000, New Orleans)
- 1) Tsutsui KI., Jiang M, Sakata H, Taira M (2000). Neural mechanisms for the perception of surface orientation from texture and disparity gradient. *International Journal of Psychology (Sup.)* 35 (3-4): 328-328. (International Congress of Psychology 2000, Stockholm)